CL 380 SD BLACK

cold-era

COOLER IMAGE



Please note that cooler image is shown indicatively for general reference. Real cooler manufactured may have some differences according offered features or preferences

D 372 WOC - Lean

	-cold-ere
E	

ENERGY CLASS	ΕN	ER	GΥ	CLASS	;
--------------	----	----	----	-------	---


ENERGT CLASS	
Dimensions	
External Dimensions (WxDxH), mm	595*614*1803
Internal Dimensions (WxDxH), mm	490*447*1557
External Dimensions With Package (W*D*H), mm	610*670*1907
Gross Weight (kg)	77
Net Weight (kg)	69
Net weight (kg)	69
Cabinet	
Inner Liner	Plastic
Number of shelves	5
Cabinet Back Type	Metal (galvanized sheet)
Type of feet	2 Rollers
Lock	Yes, mechanical lock for door
Palette Type	Heat Treated Wooden Pallete
Canopy	No
Front Grid	Yes, plastic
Handle	Built-in
Door type	Hinged, Standard Aluminium
Self Closing Door	Yes
Glass Type	Standard B-condition, 2 layers & tempered
Refrigeration	
Cooling Performance	B-Cond. (0-10 C°)
Refrigerant	R600
Refrigerant amount	55 gr
Compressor	TG3116Y_220-240V_50HZ_R600A
Condenser	BACK_CONDENSER_25MM_1324MM_STEEL
Evaporator	roll-bond
Evaporator Fin Spacing	N/A
Evaporator pipe diameter (mm)	N/A
Evaporator dimensions (mm)	1140*470
	(RB Evaporator)
Condenser Fan Type	220-240V_24W with termal protection Ø60_HUNAN_KELI_ENCAPSULATED_COIL
Evap Fan Type	220-240V_24W with termal protection Ø60_HUNAN_KELI_ENCAPSULATED_COIL
Power and voltage values	270W / 220-240V
Noise level (dB)	55,1
	00,2
Electrical	
Thermostat	Mechanical_(+1,5/+7)
Canopy Illumination	N/A
	1x Vertical:
Cabinet Illumination	LED_STRIP_HIGH_DENSITY_1100LM_6500K_24VDC_10,08W_L1100_IP54
Drivers	LED_DRIVER_24VDC_15W_TAURAS_EMC_VDC-24015A0283
Light Switch	YES
Fan Switch	No
Compressor (cooling) Switch	No
Color&Artwork	
Sticker	Optional
Handle Color	Black
Outer Cabinet Color	Black
Inner Cabinet Color	
	Black
Grid Color	Black Black

Please note that during manufacturing process producer may use alternative & equivalent components due to sourcing needs and lead-times providing that performance and efficiency will be kept at same level

CL 380 SD BLACK


cold-era

SECTION VIEW



CL 380 SD BLACK

cold-era



STICKER ARTWORK INSTRUCTIONS:

The given dimesions are in milimeters

Given dimensions are for ready sticker branding with croped edges.

We kindly ask you to prepare artworks according this given dimensions and place images and words within this dimensions.

The format of the artwork have to be as follows:

- Please prepare and send artworks in one of the following programs
 - PHOTOSHOP
 - ADOBE ILLUSTRATOR
 - FREEHAND
- If you prepare the artwork in PHOTOSHOP please leave «Layers» unpacked as muchas possible and design format must be PSD.
- The resolution of image design should be minimum 120 pixels / inch
- + Colour gradation to be in CMYK Color ModeC

cold-era

ELECTRICAL DIAGRAM

